

00000000000000000000000000000000

Sub
B1

wherein said radio control circuit section changes a responding method for
10 responding to an incoming call when opening the flip-lid is determined based on
a detection result by said flip-lid state detecting circuit.

a radio circuit section for transmitting and receiving a signal to/from a radio base station;

wherein said radio control circuit section changes a responding method for responding to an incoming call when extending the extensible antenna is determined based on a detection result by said antenna state detecting circuit.

a radio circuit section for transmitting and receiving a signal to/from a

wherein said radio control circuit section changes a responding method for responding to an incoming call when opening the flip-lid and putting the plug are determined based on detection results by said flip-lid state detecting circuit and said plug detecting circuit.

wherein said radio control circuit section changes a responding method for responding to an incoming call when extending the extensible antenna and putting the plug are determined based on detection results by said antenna state detecting circuit and said plug detecting circuit,.

bi
cont

antenna that is freely loaded or unloaded in a case, said portable telephone apparatus comprising:

a radio circuit section for transmitting or receiving a signal to/from a radio base station;

5 a radio control circuit section for controlling said radio circuit section;

a flip-lid state detecting circuit for detecting an opening/closing state of the flip-lid; and

an antenna state detecting circuit for detecting an extension/contraction state of the extensible antenna,

10 wherein said radio control circuit section changes a responding method for responding to an incoming call when opening the flip-lid and extending the extensible antenna are determined based on detection results by said flip-lid state detecting circuit and said antenna state detecting circuit.

15 6. The portable telephone apparatus according to claims 1, 2, 3, 4, or 5, further comprising a timer used for releasing the changed responding method after a predetermined time.

20 7. The portable telephone apparatus according to one of claim 1, 2, 3, 4, or 5, wherein said radio control circuit section changes the responding method for responding to the incoming call from pressing a predetermined specific key to pressing a plurality of predetermined keys.

25 8. The portable telephone apparatus according to one of claim 1, 2, 3, 4, or 5, wherein said radio control circuit section changes the responding method for responding to the incoming call from a manual responding method that requires a certain operation to an automatic responding method that requires no

00222200 40224000

B1
C1

Sub
A3

state of putting plug into the earphone jack; and

changing the responding method for responding to an incoming call when extending the extensible antenna and putting the plug are determined.

5 13. A changing method of a responding method of a portable telephone
apparatus having a flip-lid and an extensible antenna that is freely loaded and
unloaded in a case, said changing method comprising the steps of:

determining an opening/closing state of the flip-lid and an extension/contraction state of the antenna; and

10 changing the responding method for responding to an incoming call when
opening the flip-lid and extending the extensible antenna are determined.

14. A changing method according to claim 9, 10, 11, 12, or 13 further comprising the step of releasing the changed responding method after a set time in a timer.

15. A changing method according to claim 9, 10, 11, 12, or 13, wherein the responding method is changed from pressing a predetermined specific key to pressing a plurality of predetermined keys.

20

16. A changing method according to claim 9, 10, 11, 12, or 13, wherein the responding method is changed from a manual responding method that requires a certain operation to an automatic responding method that requires no operation.